


Amp. and Phase vs. time for each freq., 24 segs, 5 APs / seg (2.56 sec / seg.), time ticks 5 sec



	86156.00	86188.00	86220.00	86252.00	86284.00	86316.00	86348.00	86380.00	Freq (MHz)	All
U/L	0/118	0/118	0/118	0/118	0/118	0/118	0/118	0/118		
E	170.2	167.9	167.4	166.1	168.4	166.6	167.2	168.6	APs used	
X	662.8	663.5	661.4	660.8	661.9	662.0	662.1	661.4	PC L delays (ns)	
E:X	-153:57	66:154	-57:-93	-176:37	66:161	-59:-77	-170:40	58:155	PC phase	
E:X	0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0	ManI PC	
E	5	5	4	4	4	4	4	4	PC amp	
X	31	32	32	29	28	29	30	29	Chan ids	
E	W00LL	W01LL	W02LL	W03LL	W04LL	W05LL	W06LL	W07LL	Tracks	
X	W00LL	W01LL	W02LL	W03LL	W04LL	W05LL	W06LL	W07LL	Chan ids	
									Tracks	
Group delay (usec)(model)	2.48377511577E+03		Apriori delay (usec)	2.48377696819E+03	Resid mbdelay (usec)	-1.85242E-03	+/-	4.7E-06		
Sband delay (usec)	2.48376950219E+03		Apriori clock (usec)	2.5902611E+01	Resid sbdelay (usec)	-7.46600E-03	+/-	3.7E-05		
Phase delay (usec)	2.48377697288E+03		Apriori clockrate (us/s)	-3.3881001E-07	Resid phdelay (usec)	4.68923E-06	+/-	8.0E-09		
Delay rate (us/s)	-2.21240835977E-02		Apriori rate (us/s)	-2.21246831075E-02	Resid rate (us/s)	5.99510E-07	+/-	2.3E-10		
Total phase (deg)		315.1	Apriori accel (us/s/s)	-1.22525031803E-05	Resid phase (deg)	145.4	+/-	0.2		
RMS	74.3	0.6	Amplitude	30.968 +/- 0.067	Pcal mode:	MULTITONE, MULTITONE	PC period (AP's)	5, 5		
ph/seg (deg)	74.3	0.6	Search (256X32)	26.763	Pcal rate:	0.000E+00, 0.000E+00 (us/s)	sb window (us)	-32.000 32.000		
amp/seg (%)	98.7	1.1	Interp.	0.000	Bits/sample:	2x2	SampCntNorm:	disabled	mb window (us)	-0.016 0.016
ph/frq (deg)	4.2	0.4	Inc. seg. avg.	60.306	Sample rate(MSamp/s):	64	dr window (ns/s)	-0.011 0.011		
amp/frq (%)	4.2	0.6	Inc. frq. avg.	31.040	Data rate(Mb/s):	1024	nlags:	4096 t_cohere (s) 60.0	ion window (TEC)	0.00 0.00