


Fringe quality 6

SNR 711.9
 Int time 98.545
 Amp 37.105
 Phase 330.1
 PFD 0.0e+00
 Delays (us)
 SBD -3.314678
 MBD 0.013822
 Fringe rate (Hz)
 -0.018253
 Ion TEC 0.000
 Ref freq (MHz)
 86140.000
 AP (sec) 1.000

Exp. f181a
 Exper # 16383
 Yr:day 2018:102
 Start 120320.00
 Stop 120500.00
 FRT 120230.00
 Corr/FF/build
 2018:102:172416
 2018:102:174332
 2018:095:094034
 RA & Dec (J2000)
 22h53m57.7479s
 +16°08'53.561"

Amp. and Phase vs. time for each freq., 25 segs, 4 APs / seg (4.00 sec / seg.), time ticks 5 sec



	86156.00	86188.00	86220.00	86252.00	86284.00	86316.00	86348.00	86380.00	Freq (MHz)	All
U/L	0/100	0/100	0/100	0/100	0/100	0/100	0/100	0/100		
B	-1000	-1000	-1000	-1000	-1000	-1000	-1000	-1000		
P	-1000	-1000	-1000	-1000	-1000	-1000	-1000	-1000		
B:P	0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0		
B:P	0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0		
B	1000	1000	1000	1000	1000	1000	1000	1000		
P	1000	1000	1000	1000	1000	1000	1000	1000		
B	W00LR	W01LR	W02LR	W03LR	W04LR	W05LR	W06LR	W07LR		
P	W00LR	W01LR	W02LR	W03LR	W04LR	W05LR	W06LR	W07LR		
Group delay (usec)(sbd)	-3.18993994319E+03									
Sband delay (usec)	-3.18992469339E+03									
Phase delay (usec)	-3.18661001005E+03									
Delay rate (us/s)	4.17132072096E-03									
Total phase (deg)			84.2							
Apriori delay (usec)										
Apriori clock (usec)										
Apriori clockrate (us/s)										
Apriori rate (us/s)										
Apriori accel (us/s/s)										
Resid mbdelay (usec)										
Resid sbdelay (usec)										
Resid phdelay (usec)										
Resid rate (us/s)										
Resid phase (deg)										
Pcal mode:	MANUAL	MANUAL								
Pcal rate:	0.000E+00	0.000E+00								
Bits/sample:	2x2									
Sample rate(MSamp/s):	64									
Data rate(Mb/s):	1024									
nlags:	4096	t_cohere	infinite							
sb window (us)	-32.000	32.000								
mb window (us)	-0.016	0.016								
dr window (ns/s)	-0.006	0.006								
ion window (TEC)	0.00	0.00								

B: az 241.8 el 41.0 pa 35.6 P: az 244.0 el 53.8 pa 48.5 u,v (fr/asec) -3.920 1951.488 simultaneous interpolator

Control file: cf_1234 Input file: /Exps/f181a/FRINGE/1234/No0001/BP..02BGP8 Output file: /Exps/f181a/FRINGE/1234/No0001/BP.W.42.02BGP8