


Amp. and Phase vs. time for each freq., 21 segs, 1 APs / seg (0.50 sec / seg.), time ticks 1 sec



	86156.00	86188.00	86220.00	86252.00	86284.00	86316.00	86348.00	86380.00	86412.00	All
86156.00	-120.4	-134.7	-140.6	-123.4	-128.2	-124.5	-119.7	-137.0		
Phase										-128.8
5.8	6.4	6.0	6.0	6.3	5.4	5.1	5.8			5.8
Amp.										
129.1	128.6	129.1	129.0	128.9	129.0	128.7	129.5			129.0
Sbd box										
U/L	0/21	0/21	0/21	0/21	0/21	0/21	0/21	0/21		APs used
B	0	0	0	0	0	0	0	0		PC freqs
P	0	0	0	0	0	0	0	0		PC freqs
B:P	0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0		PC phase
B:P	0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0		ManI PC
B	1000	1000	1000	1000	1000	1000	1000	1000		PC amp
P	1000	1000	1000	1000	1000	1000	1000	1000		
B	W00LL	W01LL	W02LL	W03LL	W04LL	W05LL	W06LL	W07LL		Chan ids
P	W00LL	W01LL	W02LL	W03LL	W04LL	W05LL	W06LL	W07LL		Tracks
										Chan ids
										Tracks
Group delay (usec)(sbd)	-2.71394995993E+03		Apriori delay (usec)	-2.71395051899E+03		Resid mbdelay (usec)	5.59063E-04	+/-	6.1E-05	
Sband delay (usec)	-2.71395061299E+03		Apriori clock (usec)	2.2671963E+01		Resid sbdelay (usec)	-9.40000E-05	+/-	4.8E-04	
Phase delay (usec)	-2.71395052315E+03		Apriori clockrate (us/s)	-2.3700001E-07		Resid phdelay (usec)	-4.15369E-06	+/-	1.0E-07	
Delay rate (us/s)	8.35298042499E-02		Apriori rate (us/s)	8.35299374981E-02		Resid rate (us/s)	-1.33248E-07	+/-	1.7E-08	
Total phase (deg)		-23.0	Apriori accel (us/s/s)	2.10876069719E-05		Resid phase (deg)	-128.8	+/-	3.2	

ph/seg (deg) 7.0 7.4 Theor. Amplitude 5.808 +/- 0.163 Pcal mode: MANUAL, MANUAL PC period (AP's) 5, 5  
 amp/seg (%) 22.0 12.8 Search (64X32) 5.591 Pcal rate: 0.000E+00, 0.000E+00 (us/s) sb window (us) -1.000 1.000  
 ph/frq (deg) 8.6 4.5 Interp. 0.000 Bits/sample: 2x2 SampCntNorm: enabled mb window (us) -0.016 0.016  
 amp/frq (%) 7.0 7.9 Inc. seg. avg. 5.804 Sample rate(MSamp/s): 64 Data rate(Mb/s): 1024 nlags: 128 t\_cohere infinite dr window (ns/s) -0.012 0.012  
 Inc. frq. avg. 5.838 ion window (TEC) 0.00 0.00  
 B: az 259.2 el 34.8 pa 41.7 P: az 262.0 el 44.4 pa 57.4 u,v (fr/asec) -492.639 2012.525 simultaneous interpolator  
 Control file: cf\_1234\_gmva Input file: /Exps/f182a/FRINGE/1234/No0001/BP..0AYKZD Output file: /Exps/f182a/FRINGE/1234/No0001/BP.W.5.0AYKZD