


Amp. and Phase vs. time for each freq., 23 segs, 53 APs / seg (27.14 sec / seg.), time ticks 30 sec



	86124.00	86156.00	86188.00	86220.00	86252.00	86284.00	86316.00	86348.00	Freq (MHz)	All
22.8	24.3	28.8	12.4	25.5	41.6	24.2	18.2		Phase	24.5
0.4	0.4	0.3	0.3	0.5	0.3	0.3	0.4		Ampl.	0.4
128.9	128.6	129.0	128.9	129.0	128.7	128.5	128.9		Sbd box	128.8
U/L 1171/0	1171/0	1171/0	1171/0	1171/0	1171/0	1171/0	1171/0		APs used	
k 1000	1000	1000	1000	1000	1000	1000	1000		PC freqs	
p 1000	1000	1000	1000	1000	1000	1000	1000		PC freqs	
k:p 0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0		PC phase	
kp 0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0		Manl PC	
k 1000	1000	1000	1000	1000	1000	1000	1000		PC amp	
p 1000	1000	1000	1000	1000	1000	1000	1000			
k	W00UR	W01UR,W01LR	W02UR,W02LR	W03UR,W03LR	W04UR,W04LR	W05UR,W05LR	W06UR,W06LR	W07UR,W07LR	Chan ids	
									Tracks	
p	W00UR	W01UR,W01LR	W02UR,W02LR	W03UR,W03LR	W04UR,W04LR	W05UR,W05LR	W06UR,W06LR	W07UR,W07LR	Chan ids	
									Tracks	
Group delay (usec)(sbd)	3.76665892548E+02		Apriori delay (usec)	3.7666638919E+02		Resid mbdelay (usec)	-7.46371E-04		+/-	1.2E-04
Sband delay (usec)	3.76665077919E+02		Apriori clock (usec)	-5.2442455E+00		Resid sbdelay (usec)	-1.56100E-03		+/-	9.8E-04
Phase delay (usec)	3.7666639709E+02		Apriori clockrate (us/s)	-5.7566002E-07		Resid phdelay (usec)	7.90877E-07		+/-	2.1E-07
Delay rate (us/s)	-6.08900624522E-03		Apriori rate (us/s)	-6.08895787092E-03		Resid rate (us/s)	-4.83743E-08		+/-	1.1E-09
Total phase (deg)		124.0	Apriori accel (us/s/s)	-4.63724763982E-06		Resid phase (deg)	24.5		+/-	6.5

	RMS	Theor.	Amplitude	0.372 +/- 0.021	Pcal mode: MANUAL, MANUAL	PC period (AP's) 5, 5	sb window (us)	-1.000	1.000
ph/seg (deg)	73.2	15.6	Search (4096X32)	0.365	Pcal rate: 0.000E+00, 0.000E+00 (us/s)		mb window (us)	-0.016	0.016
amp/seg (%)	112.8	27.2	Interp.	0.000	Bits/sample: 2x2	SampCntNorm: enabled	dr window (ns/s)	-0.011	0.011
ph/frq (deg)	9.2	9.2	Inc. seg. avg.	0.722	Sample rate(MSamp/s): 64		ion window (TEC)	0.00	0.00
amp/frq (%)	22.0	16.1	Inc. frq. avg.	0.369	Data rate(Mb/s): 1024	nlags: 128 t_cohere infinite			