


Amp. and Phase vs. time for each freq., 69 segs, 12 APs / seg (6.14 sec / seg.), time ticks 10 sec



86156.00	86220.00	Freq (MHz)	All				
176.7	51.9	Phase	117.2				
0.5	0.9	Ampl.	0.6				
125.9	127.1	Sbd box	126.3				
U/L 819/819	819/0	APs used					
t 0	0	PC freqs					
y 0	0	PC freqs					
t:y 0:0	0:0	PC phase					
ty 0:0	0:0	Manl PC					
t 1000	1000	PC amp					
y 1000	1000						
t W00UL,W00LL	W01UL	Chan ids					
y W00UR,W00LR	W01UR	Tracks					
		Chan ids					
		Tracks					
Group delay (usec)(sbd)	-2.31202171640E+02	Apriori delay (usec)	-2.31173695716E+02	Resid mbdelay (usec)	2.77408E-03	+/-	3.3E-04
Sband delay (usec)	-2.31194515716E+02	Apriori clock (usec)	-7.6908474E+00	Resid sbdelay (usec)	-2.08200E-02	+/-	6.9E-04
Phase delay (usec)	-2.31173691935E+02	Apriori clockrate (us/s)	1.4440001E-07	Resid phdelay (usec)	3.78060E-06	+/-	1.4E-07
Delay rate (us/s)	-3.55909415219E-02	Apriori rate (us/s)	-3.55909328605E-02	Resid rate (us/s)	-8.66141E-09	+/-	1.0E-09
Total phase (deg)	243.6	Apriori accel (us/s/s)	-2.95808347347E-06	Resid phase (deg)	297.2	+/-	4.4

ph/seg (deg)	69.7	Theor.	31.8	Amplitude	0.617 +/- 0.041	Pcal mode:	MANUAL, MANUAL	PC period (AP's)	5, 5				
amp/seg (%)	44.1	Search (2048X8)	0.599	Interp.	0.000	Pcal rate:	0.000E+00, 0.000E+00 (us/s)	sb window (us)	-1.000 1.000				
ph/frq (deg)	0.0	Inc. seg. avg.	0.496	Inc. frq. avg.	0.606	Bits/sample:	2x2	SampCntNorm:	enabled	mb window (us)	-0.008 0.008		
amp/frq (%)	35.4	Inc. frq. avg.	0.606			Sample rate(MSamp/s):	64	dr window (ns/s)	-0.011 0.011				
t: az 290.1 el 50.2 pa 80.8		y: az 285.2 el 51.1 pa 73.6		u,v (fr/asec)	249.950 -608.051	Data rate(Mb/s):	384	nlags:	128	t_cohere	infinite	ion window (TEC)	0.00 0.00
Control file: cf_1234_gmva		Input file: /Exps/c181d/v2_pc1/1234/No0041/ty..0D45BS		Output file: /Exps/c181d/v2_pc1/1234/No0041/ty.W.15.0D45BS									simultaneous interpolator