


Amp. and Phase vs. time for each freq., 69 segs, 12 APs / seg (6.14 sec / seg.), time ticks 10 sec



86156.00	86220.00	Freq (MHz)	All				
179.8	-144.4	Phase	-175.7				
1.0	0.3	Ampl.	0.7				
128.9	127.1	Sbd box	128.9				
U/L 819/819	819/0	APs used					
u 0	0	PC freqs					
P 1000	1000	PC freqs					
u:P 0:0	0:0	PC phase					
u:P 0:0	0:0	Manl PC					
P u 1000	1000	PC amp					
P 1000	1000						
u W00UL,W00LL	W01UL	Chan ids					
P W01UL,W01LL	W03UL	Tracks					
		Chan ids					
		Tracks					
Group delay (usec)(sbd)	9.35820412595E+03	Apriori delay (usec)	9.35821141950E+03	Resid mbdelay (usec)	-7.29355E-03	+/-	2.8E-04
Sband delay (usec)	9.35821081900E+03	Apriori clock (usec)	-2.6161413E+00	Resid sbdelay (usec)	-6.00500E-04	+/-	5.7E-04
Phase delay (usec)	9.35821141384E+03	Apriori clockrate (us/s)	-1.3700000E-07	Resid phdelay (usec)	-5.66483E-06	+/-	1.2E-07
Delay rate (us/s)	-1.72107466750E-01	Apriori rate (us/s)	-1.72107495313E-01	Resid rate (us/s)	2.85627E-08	+/-	8.5E-10
Total phase (deg)	67.6	Apriori accel (us/s/s)	-5.20888856789E-05	Resid phase (deg)	-175.7	+/-	3.7

ph/seg (deg)	72.8	Theor.	26.4	Amplitude	0.746 +/- 0.041	Pcal mode:	MANUAL, MANUAL	PC period (AP's)	5, 5
amp/seg (%)	113.4	Search (2048X8)	0.712	Search	0.000	Pcal rate:	0.000E+00, 0.000E+00 (us/s)	sb window (us)	-1.000 1.000
ph/frq (deg)	0.0	Interp.	1.373	Inc. seg. avg.	0.743	Bits/sample:	2x2	SampCntNorm:	enabled
amp/frq (%)	47.8	Inc. frq. avg.	0.743	Inc. frq. avg.	0.743	Sample rate(MSamp/s):	64	mb window (us)	-0.008 0.008
u: az 5.8 el 53.8 pa -166.4		P: az 11.8 el 21.4 pa -31.9		u,v (fr/asec)	2943.009 -12184.616	Data rate(Mb/s):	384	dr window (ns/s)	-0.011 0.011
Control file: cf_1234_gmva		Input file: /Exps/c181c/v2_pc1/1234/No0140/uP..0D2XW9		Output file: /Exps/c181c/v2_pc1/1234/No0140/uP.W.25.0D2XW9		nlags:	128	t_cohere	infinite
						ion window (TEC)	0.00	0.00	

simultaneous interpolator