


Amp. and Phase vs. time for each freq., 74 segs, 8 APs / seg (4.10 sec / seg.), time ticks 5 sec



86156.00		86220.00		Freq (MHz)		All
-38.5		-35.5		Phase		-36.0
0.1		0.6		Ampl.		0.3
22.2		128.6		Sbd box		129.1
U/L 585/585		585/585		APs used		
y 0		0		PC freqs		
P 1000		1000		PC freqs		
y:P 0:0		0:0		PC phase		
y:P 0:0		0:0		Manl PC		
y 1000		1000		PC amp		
P 1000		1000				
y W01UR,W01LR		W03UR,W03LR		Chan ids		
P W01UR,W01LR		W03UR,W03LR		Tracks		
				Chan ids		
				Tracks		
Group delay (usec)(sbd)	8.05119481585E+03	Apriori delay (usec)	8.05119146910E+03	Resid mbdelay (usec)	3.34675E-03	+/- 6.2E-04
Sband delay (usec)	8.05119228010E+03	Apriori clock (usec)	1.8943005E+01	Resid sbdelay (usec)	8.11000E-04	+/- 1.1E-03
Phase delay (usec)	8.05119146794E+03	Apriori clockrate (us/s)	2.7800001E-08	Resid phdelay (usec)	-1.16028E-06	+/- 2.3E-07
Delay rate (us/s)	-1.01992505741E+00	Apriori rate (us/s)	-1.01992506219E+00	Resid rate (us/s)	4.77851E-09	+/- 2.6E-09
Total phase (deg)	17.4	Apriori accel (us/s/s)	-4.20708898520E-05	Resid phase (deg)	-36.0	+/- 7.1

ph/seg (deg)	66.9	Theor.	61.0	Amplitude	0.343 +/- 0.042	Pcal mode: MANUAL, MANUAL	PC period (AP's) 5, 5
amp/seg (%)	111.0	Search (2048X8)	0.333	Search	0.000	Pcal rate: 0.000E+00, 0.000E+00 (us/s)	sb window (us) -1.000 1.000
ph/frq (deg)	0.0	Interp.	0.000	Inc. seg. avg.	0.370	Bits/sample: 2x2	SampCntNorm: enabled
amp/frq (%)	68.6	Inc. frq. avg.	0.337	Inc. frq. avg.	0.337	Sample rate(MSamp/s): 64	mb window (us) -0.008 0.008
						Data rate(Mb/s): 512	dr window (ns/s) -0.011 0.011
						nlags: 128	t_cohere infinite
							ion window (TEC) 0.00 0.00