


Amp. and Phase vs. time for each freq., 23 segs, 36 APs / seg (18.43 sec / seg.), time ticks 30 sec



86124.00	86156.00	86188.00	86220.00	86252.00	86284.00	86316.00	86348.00	Freq (MHz)	All
-77.5	-82.2	-142.2	-152.1	-51.1	-76.6	-53.6	-100.6	Phase	-90.0
0.9	0.6	0.3	0.3	0.0	0.2	0.4	0.4	Ampl.	0.4
133.8	133.5	132.8	133.6	137.8	162.5	132.7	132.7	Sbd box	133.5
U/L 795/0	795/0	795/0	795/0	795/0	795/0	795/0	795/0	APs used	
P 1000	1000	1000	1000	1000	1000	1000	1000	PC freqs	
Y 1000	1000	1000	1000	1000	1000	1000	1000	PC phase	
P:Y 0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0	Manl PC	
P:Y 0:0	0:0	0:0	0:0	0:0	0:0	0:0	0:0	PC amp	
P 1000	1000	1000	1000	1000	1000	1000	1000	Chan ids	
Y 1000	1000	1000	1000	1000	1000	1000	1000	Tracks	
P W00UL	W01UL	W02UL	W03UL	W04UL	W05UL	W06UL	W07UL	Chan ids	
Y W00UL	W01UL	W02UL	W03UL	W04UL	W05UL	W06UL	W07UL	Tracks	
Group delay (usec)(sbd)	2.45521164098E+02	Apriori delay (usec)	2.45483697135E+02	Resid mbdelay (usec)	6.21696E-03	+/-	1.6E-04		
Sband delay (usec)	2.45519078135E+02	Apriori clock (usec)	-4.0796161E+00	Resid sbdelay (usec)	3.53810E-02	+/-	1.3E-03		
Phase delay (usec)	2.45483694233E+02	Apriori clockrate (us/s)	-3.5129999E-07	Resid phdelay (usec)	-2.90187E-06	+/-	2.7E-07		
Delay rate (us/s)	-4.18733797945E-02	Apriori rate (us/s)	-4.18733982277E-02	Resid rate (us/s)	1.84331E-08	+/-	1.2E-09		
Total phase (deg)	331.7	Apriori accel (us/s/s)	-2.80647502843E-06	Resid phase (deg)	90.0	+/-	8.4		

ph/seg (deg) 48.5 20.1 Search (2048X32) 0.329 Pcal mode: MANUAL, MANUAL PC period (AP's) 5, 5
 amp/seg (%) 48.5 35.1 Interp. 0.000 Pcal rate: 0.000E+00, 0.000E+00 (us/s) sb window (us) -1.000 1.000
 ph/frq (deg) 40.7 11.9 Inc. seg. avg. 0.466 Bits/sample: 2x2 SampCntNorm: enabled mb window (us) -0.016 0.016
 amp/frq (%) 74.5 20.8 Inc. frq. avg. 0.384 Sample rate(MSamp/s): 64 Data rate(Mb/s): 1024 nlags: 128 t_cohere infinite dr window (ns/s) -0.011 0.011
 P: az 260.5 el 39.3 pa 54.9 Y: az 258.0 el 38.4 pa 50.9 u,v (fr/asec) 246.037 -464.077 simultaneous interpolator
 Control file: cf_1234_gmva Input file: /Exps/c182c/v1/1234/No0107/PY..0IGS14 Output file: /Exps/c182c/v1/1234/No0107/PY.W.247.0IGS14