


Amp. and Phase vs. time for each freq., 69 segs, 12 APs / seg (6.14 sec / seg.), time ticks 10 sec



86156.00	86220.00	Freq (MHz)	All
159.3	159.0	Phase	159.0
0.0	0.5	Ampl.	0.3
186.3	133.7	Sbd box	133.7
U/L 819/819	819/819	APs used	
y 0	0	PC freqs	
P 1000	1000	PC freqs	
y:P 0:0	0:0	PC phase	
y:P 0:0	0:0	Mani PC	
y 1000	1000	PC amp	
P 1000	1000		
y W01UL,W01LL	W03UL,W03LL	Chan ids	
y		Tracks	
P W01UR,W01LR	W03UR,W03LR	Chan ids	
		Tracks	

Group delay (usec)(sbd)	-6.46706074644E+03	Apriori delay (usec)	-6.46709000625E+03	Resid mbdelay (usec)	-1.99019E-03	+/-	6.6E-04
Sband delay (usec)	-6.46705342475E+03	Apriori clock (usec)	1.9005980E+01	Resid sbdelay (usec)	3.65815E-02	+/-	1.1E-03
Phase delay (usec)	-6.46709000112E+03	Apriori clockrate (us/s)	3.5280001E-07	Resid phdelay (usec)	5.12770E-06	+/-	2.4E-07
Delay rate (us/s)	-1.71985000892E+00	Apriori rate (us/s)	-1.71984982684E+00	Resid rate (us/s)	-1.82082E-07	+/-	2.0E-09
Total phase (deg)	-70.9	Apriori accel (us/s/s)	3.49439651700E-05	Resid phase (deg)	-21.0	+/-	7.6

ph/seg (deg)	69.3	Theor.	63.1	Amplitude	0.270 +/- 0.036	Pcal mode:	MANUAL, MANUAL	PC period (AP's)	5, 5		
amp/seg (%)	105.7	Search (2048X8)	0.253	Search	0.000	Pcal rate:	0.000E+00, 0.000E+00	us/s)	sb window (us)	-1.000 1.000	
ph/frq (deg)	0.0	Interp.	0.000	Interp.	0.000	Bits/sample:	2x2	SampCntNorm:	enabled	mb window (us)	-0.008 0.008
amp/frq (%)	80.9	Inc. seg. avg.	0.298	Inc. seg. avg.	0.298	Sample rate(MSamp/s):	64	dr window (ns/s)	-0.011 0.011	ion window (TEC)	0.00 0.00
		Inc. frq. avg.	0.258	Inc. frq. avg.	0.258	Data rate(Mb/s):	512	nlags:	128	t_cohere	infinite

y: az 296.7 el 28.8 pa 62.5 P: az 73.8 el 50.2 pa -74.5 u,v (fr/asec) 12428.468 1996.233 simultaneous interpolator

Control file: cf_1234_gmva Input file: /Exps/c182c/v1/1234/No0058/yP..0IGQZ4 Output file: /Exps/c182c/v1/1234/No0058/yP.W.136.0IGQZ4