


Amp. and Phase vs. time for each freq., 68 segs, 13 APs / seg (6.66 sec / seg.), time ticks 10 sec



86156.00	86220.00	Freq (MHz)	All
44.5	35.8	Phase	44.0
0.6	0.0	Ampl.	0.3
129.5	195.7	Sbd box	129.6
U/L 878/878	878/878	APs used	
y 0	0	PC freqs	
P 1000	1000	PC freqs	
y:P 0:0	0:0	PC phase	
y:P 0:0	0:0	Manl PC	
y 1000	1000	PC amp	
P 1000	1000		
y W01UR,W01LR	W03UR,W03LR	Chan ids	
P W01UL,W01LL	W03UL,W03LL	Tracks	
		Chan ids	
		Tracks	

Group delay (usec)(sbd)	-1.17071256563E+03	Apriori delay (usec)	-1.17071295500E+03	Resid mbdelay (usec)	3.89379E-04	+/-	5.1E-04
Sband delay (usec)	-1.17070813600E+03	Apriori clock (usec)	1.9000269E+01	Resid sbdelay (usec)	4.81900E-03	+/-	8.8E-04
Phase delay (usec)	-1.17071295359E+03	Apriori clockrate (us/s)	3.5280001E-07	Resid phdelay (usec)	1.41947E-06	+/-	1.9E-07
Delay rate (us/s)	-1.76239969855E+00	Apriori rate (us/s)	-1.76239930204E+00	Resid rate (us/s)	-3.96511E-07	+/-	1.5E-09
Total phase (deg)	-295.9	Apriori accel (us/s/s)	6.78952905927E-06	Resid phase (deg)	44.0	+/-	5.8

ph/seg (deg)	83.5	Theor.	48.2	Amplitude	0.339 +/- 0.035	Pcal mode:	MANUAL, MANUAL	PC period (AP's)	5, 5
amp/seg (%)	175.0	Search (2048X8)	0.325	Search	0.000	Pcal rate:	0.000E+00, 0.000E+00 (us/s)	sb window (us)	-1.000 1.000
ph/frq (deg)	0.0	Interp.	0.000	Inc. seg. avg.	0.608	Bits/sample:	2x2	SampCntNorm:	enabled
amp/frq (%)	87.5	Inc. frq. avg.	0.329	Inc. frq. avg.	0.329	Sample rate(MSamp/s):	64	mb window (us)	-0.008 0.008
						Data rate(Mb/s):	512	dr window (ns/s)	-0.011 0.011
						nlags:	128	t_cohere	infinite
								ion window (TEC)	0.00 0.00