



Ht (15m)	90 cm	UHF	21 cm	18 cm	6 cm	5 cm ¹	5 cm ²	S/X	X	22 GHz	43 GHz
90 cm	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
UHF	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
21 cm	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
18 cm	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
6 cm	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
5 cm ¹	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
5 cm ²	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
S/X	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	-	Direct, by setting new LO- freq. in prc- file.	Unavail	Unavail
X	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Direct, by setting new LO- freq. in prc- file.	-	Unavail	Unavail
22 GHz	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail

43	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail	Unavail
-----------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------

¹6050 MHz

²6668 MHz

Available simultaneously with Hartebeesthoek(Hh) - parallel VLBI recording systems.