

## Enable autoFTP from the Field System

Install NCFTP on the recorder machine

Log into the Mark5 machine as user root

```
apt-get install ncftp
```

Enable autoftp in the Field System configuration

On the Field System computer (as user prog) go to `/usr2/control`

edit `sked.ctl` and make sure that it contains the following **uncommented** line

```
AutoFTP ON
```

optionally you can also uncomment the `disk2file_Dir` directive to specify a special path under which the extracted file gets stored. **This path must exist on the Mark5 recorder!** If you leave this line commented out the files get stored in `/home/oper` by default.

e.g.:

```
disk2file_Dir /data
```

Install autoftp script

On the Field System computer (as user prog) go to `/usr2/st/autoftp`

If the script does not exist you can [download it here](#).

Edit the autoftp perl script and change the contents of the following variables:

```
$mark5_node="XXX.XXX.XXX.XXX";  
$mark5_user="oper";  
$dest="ftp.mpifr-bonn.mpg.de";  
$dest_user="anonymous";  
$dest_pass="evlbi\@mpifr.de";  
$dest_dir="/incoming/geodesy";
```

Replace `XXX.XXX.XXX.XXX` with the IP adress of your Mark5 recorder

Then run:

```
make
```

Allow passwordless login from Field System computer to Mark5 recorder

Try to log-in from the Field System machine to the Mark5 recorder as user oper. If prompted for a password do the following:

on the Field System computer go to `/home/oper/.ssh`

a) If a public key exists (typically named `id_rsa.pub`) copy it to the Mark5 recorder

```
scp id_rsa.pub oper@MARK5B:/home/oper/.ssh
```

log-into the mark5 recorder as user oper and go to `/home/oper/.ssh`

```
cat id_rsa.pub >> authorized_keys
```

b) if no public key exists

on the Field System machine as user oper:

```
ssh-keygen
```

use default output path, don't use passphrase.

Then follow instructions described under a)